

2010 Ambulatory Care National Patient Safety Goals

The purpose of the National Patient Safety Goals is to improve patient safety. The Goals focus on problems in health care safety and how to solve them.

Identify patients correctly

Use at least two ways to identify patients. For example, use the patient's name and date of birth. This is done to make sure that each patient gets the medicine and treatment meant for them.

Make sure that the correct patient gets the correct blood type when they get a blood transfusion.

Use medicines safely

Label all medicines that are not already labeled. For example, medicines in syringes, cups and basins.

Take extra care with patients who take medicines to thin their blood.

Prevent infection

Use the hand cleaning guidelines from the Centers for Disease Control and Prevention or the World Health Organization.

Use safe practices to treat the part of the body where surgery was done.

Check patient medicines

Find out what medicines each patient is taking. Make sure that it is OK for the patient to take any new medicines with their current medicines.

Give a list of the patient's medicines to their next caregiver. Give the list to the patient's regular doctor before the patient goes home.

Give a list of the patient's medicines to the patient and their family before they go home. Explain the list.

Some patients may get medicine in small amounts or for a short time. Make sure that it is OK for those patients to take those medicines with their current medicines.



2010 Behavioral Health Care National Patient Safety Goals

The purpose of the National Patient Safety Goals is to improve patient safety. The Goals focus on problems in health care safety and how to solve them.

Identify clients correctly

Use at least two ways to identify clients. For example, use the client's name and date of birth. This is done to make sure that each client gets the medicine and treatment meant for them.

Prevent infection

Use the hand cleaning guidelines from the Centers for Disease Control and Prevention or the World Health Organization.

Check client medicines

Find out what medicines each client is taking. Make sure that it is OK for the client to take any new medicines with their current medicines.

Give a list of the client's medicines to their next caregiver. Give the list to the client's regular doctor before the client goes home.

Give a list of the client's medicines to the client and their family before they go home. Explain the list.

Some clients may get medicine in small amounts or for a short time. Make sure that it is OK for those clients to take those medicines with their current medicines.

Identify client safety risks

Find out which clients are most likely to try to kill themselves.



2010 Critical Access Hospital National Patient Safety Goals

The purpose of the National Patient Safety Goals is to improve patient safety. The Goals focus on problems in health care safety and how to solve them.

Identify patients correctly Use at least two ways to identify patients. For example, use the patient's name and date of birth. This is done to make sure that each patient gets the medicine and treatment meant for them.

Make sure that the correct patient gets the correct blood type when they get a blood transfusion.

Improve staff communication Quickly get important test results to the right staff person.

Use medicines safely Label all medicines that are not already labeled. For example, medicines in syringes, cups and basins.

Take extra care with patients who take medicines to thin their blood.

Prevent infection Use the hand cleaning guidelines from the Centers for Disease Control and Prevention or the World Health Organization.

Use proven guidelines to prevent infections that are difficult to treat.

Use proven guidelines to prevent infection of the blood from central lines.

Use safe practices to treat the part of the body where surgery was done.

Check patient medicines Find out what medicines each patient is taking. Make sure that it is OK for the patient to take any new medicines with their current medicines.

Give a list of the patient's medicines to their next caregiver. Give the list to the patient's regular doctor before the patient goes home.

Give a list of the patient's medicines to the patient and their family before they go home. Explain the list.

Some patients may get medicine in small amounts or for a short time. Make sure that it is OK for those patients to take those medicines with their current medicines.



2010 Hospital National Patient Safety Goals

The purpose of the National Patient Safety Goals is to improve patient safety. The Goals focus on problems in health care safety and how to solve them.

Identify patients correctly

Use at least two ways to identify patients. For example, use the patient's name and date of birth. This is done to make sure that each patient gets the medicine and treatment meant for them.

Make sure that the correct patient gets the correct blood type when they get a blood transfusion.

Improve staff communication

Quickly get important test results to the right staff person.

Use medicines safely

Label all medicines that are not already labeled. For example, medicines in syringes, cups and basins.

Take extra care with patients who take medicines to thin their blood.

Prevent infection

Use the hand cleaning guidelines from the Centers for Disease Control and Prevention or the World Health Organization.

Use proven guidelines to prevent infections that are difficult to treat.

Use proven guidelines to prevent infection of the blood from central lines.

Use safe practices to treat the part of the body where surgery was done.

Check patient medicines

Find out what medicines each patient is taking. Make sure that it is OK for the patient to take any new medicines with their current medicines.

Give a list of the patient's medicines to their next caregiver or to their regular doctor before the patient goes home.

Give a list of the patient's medicines to the patient and their family before they go home. Explain the list.

Some patients may get medicine in small amounts or for a short time. Make sure that it is OK for those patients to take those medicines with their current medicines.

Identify patient safety risks

Find out which patients are most likely to try to kill themselves.



This is an easy-to-read document. It has been created for the public. The exact language of the Goals can be found at www.jointcommission.org.

2010 Laboratory National Patient Safety Goals

The purpose of the National Patient Safety Goals is to improve patient safety. The Goals focus on problems in health care safety and how to solve them.

Identify patients correctly Use at least two ways to identify patients. For example, use the patient's name and date of birth. This is done to make sure that each patient gets the medicine and treatment meant for them.

Improve staff communication Quickly get important test results to the right staff person.

Prevent infection Use the hand cleaning guidelines from the Centers for Disease Control and Prevention or the World Health Organization.



2010 Long Term Care National Patient Safety Goals

The purpose of the National Patient Safety Goals is to improve patient safety. The Goals focus on problems in health care safety and how to solve them.

Identify residents correctly Use at least two ways to identify residents. For example, use the resident's name and date of birth. This is done to make sure that each resident gets the medicine and treatment meant for them.

Use medicines safely Take extra care with residents who take medicines to thin their blood.

Prevent infection Use the hand cleaning guidelines from the Centers for Disease Control and Prevention or the World Health Organization.
Use proven guidelines to prevent infection of the blood from central lines.

Check resident medicines Find out what medicines each resident is taking. Make sure that it is OK for the resident to take any new medicines with their current medicines.
Give a list of the resident's medicines to their next caregiver. Give the list to the resident's regular doctor before the resident goes home.
Give a list of the resident's medicines to the resident and their family before they go home. Explain the list.
Some residents may get medicine in small amounts or for a short time. Make sure that it is OK for those residents to take those medicines with their current medicines.

Prevent residents from falling Find out which residents are most likely to fall. For example, is the resident taking any medicines that might make them weak, dizzy or sleepy? Take action to prevent falls for these residents.

Prevent bed sores Find out which residents are most likely to have bed sores. Take action to prevent bed sores in these patients. From time to time, re-check residents for bed sores.



2010 Office-Based Surgery National Patient Safety Goals

The purpose of the National Patient Safety Goals is to improve patient safety. The Goals focus on problems in health care safety and how to solve them.

Identify patients correctly

Use at least two ways to identify patients. For example, use the patient's name and date of birth. This is done to make sure that each patient gets the medicine and treatment meant for them.

Make sure that the correct patient gets the correct blood type when they get a blood transfusion.

Use medicines safely

Label all medicines that are not already labeled. For example, medicines in syringes, cups and basins.

Prevent infection

Use the hand cleaning guidelines from the Centers for Disease Control and Prevention or the World Health Organization.

Use safe practices to treat the part of the body where surgery was done.

Check patient medicines

Find out what medicines each patient is taking. Make sure that it is OK for the patient to take any new medicines with their current medicines.

Give a list of the patient's medicines to their next caregiver. Give the list to the patient's regular doctor before the patient goes home.

Give a list of the patient's medicines to the patient and their family before they go home. Explain the list.

Some patients may get medicine in small amounts or for a short time. Make sure that it is OK for those patients to take those medicines with their current medicines.



2010 Home Care National Patient Safety Goals

The purpose of the National Patient Safety Goals is to improve patient safety. The Goals focus on problems in health care safety and how to solve them.

Identify patients correctly Use at least two ways to identify patients. For example, use the patient's name and date of birth. This is done to make sure that each patient gets the medicine and treatment meant for them.

Prevent infection Use the hand cleaning guidelines from the Centers for Disease Control and Prevention or the World Health Organization.

Check patient medicines Find out what medicines each patient is taking. Make sure that it is OK for the patient to take any new medicines with their current medicines.

Give a list of the patient's medicines to their next caregiver. Give the list to the patient's regular doctor before the patient goes home.

Give a list of the patient's medicines to the patient and their family before they go home. Explain the list.

Some patients may get medicine in small amounts or for a short time. Make sure that it is OK for those patients to take those medicines with their current medicines.

Prevent patients from falling Find out which patients are most likely to fall. For example, is the patient taking any medicines that might make them weak, dizzy or sleepy? Take action to prevent falls for these patients.

Identify patient safety risks Find out if there are any risks for patients who are getting oxygen. For example, fires in the patient's home.

